

Wheelchair platform scale KERN MWA

Wheelchair platform scale with two integrated access ramps for easy access – with EC type approval class III and approval for professional, stationary medical use in medical diagnostics



KERN MWA 300K-1PM



KERN MWA 300K-1M



1 KERN MWA 300K-1PM

Features

- Verification class III (verification is optional)
- Approved as a medical device according to 93/42/EEC
- Especially suitable for weighing patients in wheelchairs, because the low-profile platform can be approached from either side
- The large steel weighing plate also makes it ideal for weighing obese patients
- Level indicator to level the balance precisely
- Hold function:
When patients do not stand or sit completely still, a stable weight is calculated using an average weight and this is then “frozen”. This means that you have sufficient time to attend to the patient first and then take the weight reading in peace
- **MWA 300K-1PM:** Wheelchair platform scale with practical handrail incl. column for easy, ergonomic mounting of the display device. The handrail offers patients that extra level of safety when driving or stepping onto the weighing platform

- **I** Both access ramps and the handrail KERN MWA-A01 can be folded up quickly and easily, e.g. for transportation, for example
- BMI function to determine underweight/normal weight/surplus weight
- Battery- or mains-powered, rechargeable battery operation optional
- High resolution readability: readability [d] for 5 sec. increased by one decimal place at the touch of a key

Technical data

- Large backlit LCD display, digit height 25 mm
- Dimensions of display device
W×D×H 200×128×55 mm
- Overall dimensions, without handrail,
W×D×H 1180×1000×1130 mm
- Cable length of display device approx. 180 cm
- Battery operation possible, 6×1,5 V AA, not included, operating time up to 20 h
- Mains adapter external, included
- Net weight approx. 76 kg

Accessories

- Protective working cover over the display device, standard, can be reordered, scope of delivery: 5 items, KERN MBC-A06S05, € 40,-
- Cleaning cloths, alcohol-free cloths for wipe disinfectant. Fulfill the legal requirements for occupational safety in accordance with TRGS 525/540. Packaging contents 80 pcs., size 20×22 cm per cloth, KERN MYC-01, € 35,-
- Internal rechargeable battery pack, operating time up to 40 h, without backlight, charging time approx. 12 h, KERN MBC-A08, € 54,-
- Mains adapter external, 230 V/50 Hz, standard EU, CH, KERN MBC-A10, € 39,-
- Interface cable RS-232C to connect an external device, KERN CFS-A01, € 46,-
- Matrix needle printer, KERN YKN-01, € 230,-
- Label printer, KERN YKE-01, € 590,-
- Thermal printer, KERN YKB-01N, € 320,-

For more details see the internet

STANDARD						OPTION	FACTORY
RS 232	MOVE	IP 65	BATT	MULTI	2 DAYS	ACCU	M +3 DAYS

* Within the EU, official verification is mandatory by law for scales that are intended for use as a medical device. Please add this to your order. We require the location of use and the post code for the verification.

Model	Weighing range [Max] kg	Readability [d] kg	Verification value [e] kg	Weighing surface mm	Price excl. of VAT ex works €	Mandatory by law Verification	
						KERN	€
KERN							
MWA 300K-1M	300	0,1	0,1	880×840	1 120,- ↓	965-129	53,-
MWA 300K-1PM	300	0,1	0,1	880×840	1 190,- ↓	965-129	53,-

↓ Price reduction



Practical handrail for wheelchair platform scale KERN MWA

1 KERN MWA-A02

Features

- Handrail, without column, cannot be folded, for self-assembly on the KERN MWA 300K-1M wheelchair platform scale or MWA 300K-1PM
- With the practical optional handrail set the KERN MWA 300K-1M wheelchair platform or MWA 300K-1PM can be converted quickly and easily into a multi-function scale. This allows for the patients to be weighed while standing on the scale, with support from the handrail or weighed in a wheelchair

Technical data

- Material: Lacquered steel
- Dimensions WxDxH approx. 560×40×920 mm
- Scope of supply: handrail, fasteners
- Net weight approx. 4 kg

KERN MWA-A02, € 85,-



Handrail set with folding patient seat for wheelchair platform scale KERN MWA

2 KERN MWA-A04

Features

- 2 handrail with folding patient seat, for self-assembly on the KERN MWA 300K-1M wheelchair platform scale, Factory Option, please order when ordering your balance, fitting it at a later date is not possible
- With the two practical handrails with the integrated, folding patient seat, you can convert the KERN MWA 300K-1M wheelchair platform scale into a multi-functional scale quickly and easily. In this way patients can be weighed standing up, with support from the handrail or in a comfortable seated position. If you fold the patient seat up, then a wheelchair can be pushed or driven onto the scale. The strut rod included with delivery ensures a high level of stability and torsional rigidity. The drive-through protection which is also fitted as standard for the front wheels of the wheelchair gives an extra level of safety

Technical data

- Material: Lacquered steel
- Dimensions WxDxH approx. 1132×880×960 mm (mounted)
- Dimensions of seating surface WxD 470×310 mm
- Height of the seat above the platform 460 mm
- Scope of supply: 2 handrails, strut rod, drive-through protection, folding seat, fasteners, Factory option, the assembly takes place in the factory KERN, the delivery is completely assembled on pallet
- Net weight approx. 8 kg

KERN MWA-A04, € 690,-



Compact wheelchair platform scale with two integrated access ramps for easy access

Features

- Especially suitable for weighing patients in wheelchairs, because the low-profile platform can be approached from either side
- The large steel weighing plate also makes it ideal for weighing obese patients
- Ideal also for rapid weighing of, e.g. for laundry carts, container trolleys, roller containers, etc.
- Secure and non-slip positioning with height-adjustable rubber feet
- **1** Level indicator to level the balance precisely
- Hold function:
When patients do not stand or sit completely still, a stable weight is calculated using an average weight and this is then “frozen”. This means that you have sufficient time to attend to the patient first and then take the weight reading in peace
- BMI function to determine underweight/normal weight/surplus weight
- Wall mount for the display device
- **2** The scale can be easily transported using the two handles and two rollers and does not require much storage space

Technical data

- Large backlit LCD display, digit height 25 mm
- Dimensions of display device W×D×H 200×130×60 mm
- Overall dimensions, W×D×H 1050×1050×100 mm
- Batteries included, 6×1,5 V AA, operating time up to 40 h
- Cable length of display device approx. 300 cm
- Net weight approx. 55 kg

Accessories

- Protective working cover over the display device, standard, can be reordered, scope of delivery: 5 items, KERN MBC-A06S05, **€ 40,-**
- Cleaning cloths, alcohol-free cloths for wipe disinfectant. Fulfill the legal requirements for occupational safety in accordance with TRGS 525/540. Packaging contents 80 pcs., size 20×22 cm per cloth, KERN MYC-01, **€ 35,-**
- For more details see the internet

STANDARD



Model	Weighing range	Readability	Weighing surface	Price excl. of VAT ex works €
KERN	[Max] kg	[d] kg	mm	
MWB 300K-1	300	0,1	800×800	670,-

Wheelchair platform scale KERN MWS

Wheelchair platform scale with low overall height for easy access – with EC type approval class III and approval for professional, mobile medical use in medical diagnostics





Features

- Verification class III (verification is optional)
- Approved as a medical device according to 93/42/EEC
- Especially suitable for weighing patients in wheelchairs, because the low-profile platform can be approached from either side and it has a memory function for tare weights for up to five (power) wheelchairs
- The large steel weighing plate also makes it ideal for weighing obese patients
- Secure and non-slip positioning with height-adjustable rubber feet
- Level indicator to level the balance precisely
- Hold function:
When patients do not stand or sit completely still, a stable weight is calculated using an average weight and this is then “frozen”. This means that you have sufficient time to attend to the patient first and then take the weight reading in peace
- BMI function to determine underweight/normal weight/surplus weight
- **1** The scale can be easily transported using 2 rollers and a handle and does not require much storage space
- **2** Display device with two magnets on the back, ideal to fix it to metallic surfaces, e.g. to the weighing plate during transportation

- **3** Three balances in one: With the practical KERN MWS-A02 handrail set, the wheelchair platform scale MWS 300K100M can be converted quickly and easily into a multi-function scale. In this way patients can be weighed standing up on their own, using the support of the handrail or in a wheelchair. For a more ergonomic system the display device can be fitted directly onto the handrail
- Battery- or mains-powered, rechargeable battery operation optional

Technical data

- LCD display, digit height 25 mm
- Dimensions of display device WxDxH 210x110x50 mm
- Overall dimensions MWS 300K100M WxDxH 1155x800x66 mm MWS 400K100DM WxDxH 1255x1060x69 mm
- Overall dimensions incl. MWS-A02 WxDxH 1155x820x1070 mm
- Battery operation possible, 6x1,5 V AA, not included, operating time up to 50 h
- Mains adapter external, included
- Cable length of display device approx. 180 cm
- Net weight approx. 28,4 kg

Accessories

- **3** Handrail set to fit to the wheelchair platform scale KERN MWS 300K100M, WxDxH approx. 1150x60x900 mm. Scope of delivery: two handrails, a stability bar, fasteners. KERN MWS-A02, **€ 550,-**
 - **4** Stand to elevate display device, height of stand approx. 950 mm, KERN MWS-A01, **€ 180,-**
 - Protective working cover over the display device, standard, can be reordered, scope of delivery: 5 items, KERN EOB-A02S05, **€ 40,-**
 - Cleaning cloths, alcohol-free cloths for wipe disinfectant. Fulfill the legal requirements for occupational safety in accordance with TRGS 525/540. Packaging contents 80 pcs., size 20x22 cm per cloth, KERN MYC-01, **€ 35,-**
 - Internal rechargeable battery pack, operating time up to 50 h, charging time approx. 24 h, KERN FOB-A08, **€ 55,-**
 - Interface cable RS-232C to connect an external device, KERN MPS-A08, **€ 46,-**
 - Matrix needle printer, KERN YKN-01, **€ 230,-**
 - Label printer, KERN YKE-01, **€ 590,-**
 - Thermal printer, KERN YKB-01N, **€ 320,-**
- For more details see the internet

STANDARD					OPTION		FACTORY	
RS 232	MOVE	BATT	MULTI	2 DAYS	ACCU	M +3 DAYS		

* Within the EU, official verification is mandatory by law for scales that are intended for use as a medical device. Please add this to your order. We require the location of use and the post code for the verification.


Model	Weighing range	Readability	Verification value	Weighing surface	Price excl. of VAT ex works €	Mandatory by law Verification	
						KERN	€
KERN	[Max] kg	[d] kg	[e] kg	mm			
MWS 300K100M	300	0,1	0,1	900x740	1190,-	965-129	53,-
MWS 400K100DM	300 400	0,1 0,2	0,1 0,2	1000x1000	1390,-	965-130	83,-

Price reduction

Stretcher scale KERN MWS-L

Stretcher scale with a low overall height for easy access – with EC type approval class III and approval for medical use





Features

- Verification class III (verification is optional)
- Approved as a medical device according to 93/42/EEC
- **1** Due to its large dimensions and large weighing range, it is especially suitable for weighing immobile patients on stretchers or wheelchairs as well as obese patients
- Large steel weighing plate with non-slip and wear-resistant surface
- Secure and non-slip positioning with height-adjustable rubber feet
- Level indicator to level the balance precisely
- Hold function:
When patients do not stand, sit or lie completely still, a stable weight is calculated using an average weight and this is then "frozen". This means that you have sufficient time to attend to the patient first and then take the weight reading in peace
- BMI function to determine underweight/normal weight/surplus weight
- **2** The scale can be easily transported using 2 rollers and 2 handles and does not require much storage space

- **3** Display device with two magnets on the back, ideal to fix it to metallic surfaces, e.g. to the weighing plate during transportation
- Battery- or mains-powered, rechargeable battery operation optional

Technical data

- LCD display, digit height 25 mm
- Dimensions of display device WxDxH 210x110x50 mm
- Overall dimensions WxDxH 1500x860x68 mm
- Battery operation possible, 6x1,5 V AA, not included, operating time up to 50 h
- Mains adapter external, included
- Cable length of display device approx. 180 cm
- Net weight approx. 40 kg

Accessories

- **4** Stand to elevate display device, height of stand approx. 950 mm, KERN MWS-A01, **€ 180,-**
 - Protective working cover over the display device, standard, can be reordered, scope of delivery: 5 items, KERN EOB-A02S05, **€ 40,-**
 - Cleaning cloths, alcohol-free cloths for wipe disinfectant, quick-acting, on basis of modern quaternary ammonium compounds, and also against papova viruses. Particularly gentle on materials, and therefore very well suited for the disinfection of alcohol sensitive medical products. Fulfill the legal requirements for occupational safety in accordance with TRGS 525/540. Packaging contents 80 pcs., size 20x22 cm per cloth KERN MYC-01, **€ 35,-**
 - Rechargeable battery pack internal, operating time up to 45 h, charging time approx. 14 h, KERN FOB-A08, **€ 55,-**
 - Interface cable RS-232C to connect an external device, KERN MPS-A08, **€ 46,-**
 - Matrix needle printer, KERN YKN-01, **€ 230,-**
 - Label printer, KERN YKE-01, **€ 590,-**
 - Thermal printer, KERN YKB-01N, **€ 320,-**
- For more details see the internet

STANDARD OPTION FACTORY

* Within the EU, official verification is mandatory by law for scales that are intended for use as a medical device. Please add this to your order. We require the location of use and the post code for the verification.

Model	Weighing range	Readability	Verification value	Weighing surface	Price excl. of VAT ex works €	Mandatory by law Verification	
						KERN	€
MWS 300K-1LM	[Max] kg 300	[d] kg 0,1	[e] kg 0,1	mm 1200x800	1550,-	965-129	53,-

Price reduction